

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S37	60	("4937763" "5067099" "5261051" "5649099" "5819047" "6185598" "6230200" "6253217" "6256773" "6324581" "6327594" "6401126" "6502102" "6519679" "6523027" "6560632" "6606744" "6721862" "6757753" "6832313" "7089293" "6985927" "20020087479" "20020120741" "20020194251" "20030046396" "20030191957" "20040044744" "20040078419" "20040230795").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 17:14
S38	29	S37 and ((file\$5 object\$5) with (control\$6 access\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 17:31
S41	6	S37 and ((file\$5 object\$5) near2 (control\$6 access\$4) near2 (level\$3 right\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 17:32
S40	26	S37 and ((file\$5 object\$5) near2 (control\$6 access\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 19:25
S43	0	((back\$3 adj up adj file\$2) with (lock\$3)) same ((file\$5 object\$5) near2 (control\$6 access\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 19:29
S42	3	((back\$4 adj file\$2) with (lock\$3)) same ((file\$5 object\$5) near2 (control\$6 access\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 19:29
S45	681	((scan\$3) with (lock\$3)) and ((file\$5 object\$5) near2 (control\$6 access\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 19:34
S47	2	"6721721".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 19:41

EAST Search History

S46	6	((virus\$3 with (check\$3 scan\$3)) with (lock\$3)) and ((file\$5 object\$5) near2 (control\$6 access\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 19:41
S48	27	((back\$3 adj up adj (object\$2 data file\$2)) with (lock\$3)) and ((data file\$5 object\$5) near2 (control\$6 access\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 19:42
S44	9	((back\$3 adj up adj file\$2) with (lock\$3)) and ((file\$5 object\$5) near2 (control\$6 access\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 19:42
S49	8	(decentralized with virus\$3 with (check\$4 scan\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 11:48
S50	49	(client\$3 with request\$4 with server\$3) same (server\$3 with (scan\$3 check\$3) with virus\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 11:50
S52	15	S50 not S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:48
S53	12	(client\$3 with request\$4 with server\$3) same ((database (anti near1 server\$3) device\$4) with (scan\$3 check\$3) with virus\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 15:40
S55	27	S54 not S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 15:41
S54	35	(client\$3 with (document\$3 file\$3 content page\$3) with server\$3) same ((database (anti near1 server\$3) device\$4) with (scan\$3 check\$3) with virus\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 15:41
S57	49	(client\$3 with request\$4 with server\$3) same (server\$3 with (scan\$3 check\$3) with virus\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 18:06

EAST Search History

S56	60	(client\$3 with request\$4 with server\$3) and (server\$3 with (tranmit\$ transmission send\$3 request\$3 communicat\$4) with (scan\$3 check\$3) with virus\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 18:06
S51	34	(client\$3 with request\$4 with server\$3) same (server\$3 with (tranmit\$ transmission send\$3 request\$3 communicat\$4) with (scan\$3 check\$3) with virus\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 18:06
S58	23	S56 not S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 18:07
S60	2	(virus\$3 with server\$3) with (access\$3 near2 level\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 13:22
S62	90	(virus\$3 with (check\$3 server\$3)) with (authoriz\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 13:23
S61	3	(virus\$3 with (check\$3 server\$3)) with (access\$3 near2 level\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 13:23
S63	6	(virus\$3 with (check\$3 server\$3)) with (authoriz\$) same (access\$ near3 (file\$2 object\$3 content\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 13:24
S64	84	S62 not S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 13:32
S65	10	((authenticat\$ validat\$) with (virus near3 (checker scanner)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 13:49
S66	110	((anti\$2 adj virus) virus) with level\$ with access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 13:50

EAST Search History

S68	43	((anti\$2 adj virus) virus) with level\$ with (access right\$3 permission\$3) with (file\$3 object\$3 content\$3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 13:51
S67	131	((anti\$2 adj virus) virus) with level\$ with (access right\$3 permission\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 13:51
S59	38	(request\$3 with access\$3) same ((scan\$4 check\$3 determin\$) with virus with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 19:47
S71	10	(request\$3 with access\$3) same ((scan\$4 check\$3 determin\$) with virus\$3 with ((file\$3 object\$3) near2 type\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 19:48
S70	97	(request\$3 with access\$3) same ((scan\$4 check\$3 determin\$) with virus\$3 with (file\$3 object\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 19:48
S69	88	(request\$3 with access\$3) same ((scan\$4 check\$3 determin\$) with virus with (file\$3 object\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 19:48
S72	4	(upon near3 request\$3) with ((scan\$4 check\$4 determin\$) near3 virus\$3) same (decentraliz\$ remote\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 12:55
S73	3	((receiv\$3 receipt incom\$4 intercept\$3) near3 request\$3) with ((scan\$4 check\$4 determin\$) near3 virus\$3) same (decentraliz\$ remote\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 19:10
S74	7670	(allow\$3 with ((virus near2 (check\$4 scan\$4 determin\$)) access\$3) with lock\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 19:11
S76	0	(allow\$3 with ((virus near2 (check\$4 scan\$4 determin\$))) with lock\$3 with (file\$3 object\$3 data content\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 19:12

EAST Search History

S78	0	(allow\$3 with ((virus\$3 near2 (check\$4 scan\$4 determin\$))) with lock\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 19:13
S77	0	(allow\$3 with ((virus\$3 near2 (check\$4 scan\$4 determin\$))) with lock\$3 with (file\$3 object\$3 data content\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 19:13
S79	68	(allow\$3 with access\$3 with ((user\$3 client\$3) near2 lock\$3) with (file\$3 object\$3 data content\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 19:14
S75	1541	(allow\$3 with ((virus near2 (check\$4 scan\$4 determin\$)) access\$3) with lock\$3 with (file\$3 object\$3 data content\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 19:39
S80	12	(allow\$3 with access\$3) with lock\$3 with (file\$3 object\$3 data content\$2)) and ((virus near2 (check\$4 scan\$4 determin\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 19:57
S1	166773	(user\$3 client\$3 person\$3) with (request\$ want\$3 access\$3) with (file\$1 data object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 12:09
S82	13	(lock\$2) with (file\$2 object\$2) same (virus\$3 with (scan\$3 check\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 12:11
S83	303	(lock\$2) with (file\$2 object\$2) same ((back\$3 adj up) backup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 12:12
S84	26	(disabl\$3 disregard\$3 allow\$3) with (lock\$2) with (file\$2 object\$2) same ((back\$3 adj up) backup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 12:14
S86	11	(user\$3 client\$3) with (lock\$2) with (available) with ((back\$3 adj up) backup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 13:06

EAST Search History

S85	59	(user\$3 client\$3) with (lock\$2) with (file\$2 object\$2) same ((back\$3 adj up) backup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 13:06
S87	60	("4937763" "5067099" "5261051" "5649099" "5819047" "6185598" "6230200" "6253217" "6256773" "6324581" "6327594" "6401126" "6502102" "6519679" "6523027" "6560632" "6606744" "6721862" "6757753" "6832313" "7089293" "6985927" "20020087479" "20020120741" "20020194251" "20030046396" "20030191957" "20040044744" "20040078419" "20040230795").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 14:42
S6	8	("5787409" "5925126" "5933594" "6189114" "6237114" "6327677" "6405327" "6775732").pn.	US-PGPUB; USPAT	OR	OFF	2008/01/04 14:42
S88	12	S87 and lock\$2	US-PGPUB; USPAT	OR	OFF	2008/01/04 15:42
S90	55	((back\$3 adj up) backup) with (around) with lock\$2	US-PGPUB; USPAT	OR	OFF	2008/01/04 15:50
S89	21	((back\$3 adj up) backup) with (override\$3 (over\$1 adj ride\$3) bypass\$3 (by\$2 adj pass\$3)) with lock\$2	US-PGPUB; USPAT	OR	OFF	2008/01/04 15:50
S81	25	(lock\$2 near2 (file\$3 object\$3)) same (virus\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 17:20
S91	29979	lock\$3 with (object file data content) with (scan\$3 operat\$3 check\$3 run\$4 determin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:22
S94	605	(lock\$3 with (object file data content) with (scan\$3 operat\$3 check\$3 run\$4 determin\$5)) same (server cluster) same (client user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:23
S93	1021	(lock\$3 with (object file data content) with (scan\$3 operat\$3 check\$3 run\$4 determin\$5)) same (server cluster) and (client user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:23

EAST Search History

S92	4230	(lock\$3 with (object file data content) with (scan\$3 operat\$3 check\$3 run\$4 determin\$5)) and (server cluster) and (client user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:23
S96	69	((lock\$3 with (object file data) with (scan\$3 operat\$3 check\$3 run\$4 determin\$5)) same (server cluster) same (client user)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:24
S95	578	(lock\$3 with (object file data) with (scan\$3 operat\$3 check\$3 run\$4 determin\$5)) same (server cluster) same (client user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:24
S97	468	((lock\$3 with (object file data) with (scan\$3 operat\$3 check\$3 run\$4)) same (server cluster) same (client user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:25
S99	510	(lock\$3 with (object file data)) and ((server cluster) with request\$3) and virus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:26
S10 1	2	((lock\$3 with (object file data)) same ((server cluster) with request\$3) same virus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:27
S10 0	0	((lock\$3 with (object file data)) and ((server cluster) with request\$3) and virus).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:27
S10 5	3	((lock\$3 with (object file data)) same ((server cluster) with request\$3)).clm. and virus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:28
S10 4	131	((lock\$3 with (object file data)) same ((server cluster) with request\$3)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:28
S10 3	0	((lock\$3 with (object file data)) same ((server cluster) with request\$3)).ab. and virus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:28

EAST Search History

S10 2	50	((lock\$3 with (object file data)) same ((server cluster) with request\$3)) and virus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:28
S10 7	18	(lock\$3 with (override)) and virus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:30
S10 6	3341	(lock\$3 with (override))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:30
S98	31	((lock\$3 with (object file data) with (scan\$3 operat\$3 check\$3 run\$4)) same (server cluster) same (client user)) and virus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:30
S10 9	244	(lock\$3 with (override) with access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:31
S10 8	2	(lock\$3 with (override) with access\$3) and virus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:31
S11 1	143	(lock\$3 with (override)) and server and client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:32
S11 0	16	(lock\$3 with (override) with access\$3) and server and client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:32
S11 4	19	S113 not S112	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:34
S11 2	5	(lock\$3 with (override)) same server same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:34

EAST Search History

S11 3	24	(lock\$3 with (override)) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:35
S11 5	226	(lock\$3 with (override bypass (by\$2 adj pass\$3) (over\$2 adj rid\$3))) and (storage server) and client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:38
S11 6	0	((lock\$3 with (override bypass (by\$2 adj pass\$3) (over\$2 adj rid\$3))) and (storage server) and client).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:39
S11 7	7	((lock\$3 with (override bypass (by\$2 adj pass\$3) (over\$2 adj rid\$3))) and (storage server) and client).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 18:33

Web Images Maps News Shopping Gmail more ▾

[Sign in](#)

Google

virus and (scan OR check OR determine) and

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Groups Results 1 - 10 of about 491,000 for **virus and (scan OR check OR determine) and lock and (fi**

File lock wont allow to open and copy

I made sure that the **check** box was checked for **allow** users to change files. Network connectivity works fine. I am able to take control of every other **file** ...
www.experts-exchange.com/Software/Internet_Email/File_Sharing/Q_22910675.html - 62k
- [Cached](#) - [Similar pages](#)

McAfee Threat Center

This **virus** list does not contain the results from running a **scan**. ... likely due to Windows System Restore functionality having a **lock** on the infected **file**. ...
vil.nai.com/vil/stinger/ - 18k - [Cached](#) - [Similar pages](#)

Bytware, Inc. : Support : Using a PC to Scan for Viruses on the IFS

In order to prevent **virus** scanners from removing them, viruses will **lock** a **file** that it has infected so the scanning software cannot **scan** the **file**. ...
www.bytware.com/support/pc_scanning.html - 52k - [Cached](#) - [Similar pages](#)

Antivirus, Trojan, Spy ware scanner, Nested file manual scan ...

Mcafee **Virus Scan** professional (8.0.0.12) Norton Antivirus 2003 Kaspersky 4.5x ... You still can **bypass** antiviral protection for manual scans with **file** ...
archive.cert.uni-stuttgart.de/vuln-dev/2004/10/msg00001.html - 7k - [Cached](#) - [Similar pages](#)

Macro Virus Update

When the **virus** is finished infecting a document **file**, it runs its **Check** the "Lock project for viewing" **check** box and type and confirm a password. 6. ...
www.ciac.org/ciac/bulletins/i-023.shtml - 22k - [Cached](#) - [Similar pages](#)

UNLOCKER 1.8.5 BY CEDRICK 'NITCH' COLLOMB

Added a **check**-box to delete **file** or folder after unlocking its handles always look which processes **lock** a **file**, because some of them might be valid. ...
ccollomb.free.fr/unlocker/ - 46k - [Cached](#) - [Similar pages](#)

StorageExpress™ Systems - Cheyenne Error Messages E2000-E2999

The InocuLAN **virus scan** took too long, and the directory will be skipped. ... E2313 - Failed to **Lock File** [file name], [error description] Problem ...
www.intel.com/support/storageexpress/sb/cs-011770.htm - 44k - [Cached](#) - [Similar pages](#)

Identity Theft Resource Center Fact Sheet 118 PC Perfect ...

Do you **check** for **locks** (bottom right browser status line) or the notation that ... Do you run a full **virus scan** on your hard drive at least every 2 weeks? ...
www.idtheftcenter.org/artman2/publish/c_theft_test/Fact_Sheet_118_PC_Perfect_-_information_Safety_Quiz.shtml - 39k - [Cached](#) - [Similar pages](#)

Mozilla 1.5 Troubleshooting Guide

Look in your profile directory for **file** called parent.**lock**, **lock**, or that may contain a **virus**), set the anti-**virus** to **scan** only **file** types that can ...
www.mozilla.org/start/1.5/troubleshooting/ - 23k - [Cached](#) - [Similar pages](#)

Antivirus news, tools and rules

Given that some percentage of those without anti-virus software could be the ability to lock the data on a lost or stolen device, and the ability to ...
antivirttools.blogspot.com/ - 83k - [Cached](#) - [Similar pages](#)

Google Groups results for virus and (scan OR check OR determine) and lock and (file OR object OR data) and (allow OR override OR bypass)



[IE7 Lock-up \(Vista Home Premium\)](#) - microsoft.public.internetexplo ... - Dec 23, 2007

[AVG I spoke to soon.](#) - alt.windows-me - Sep 9, 2001

[Not able to lock other file extention in OE](#) - microsoft.public.windows.inete ... - Dec 2, 2004

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)